# Environmental Protection Agency Office of Emergency and Remedial Response

TECHNICAL DIRECTION FORM
REGION 3 - ESAT

Contract No.: EP-W-06-016

Contractor Lockheed

Task Order No.: 0014

Sub-Task No.: 1

Task Order Project Officer: Colleen Walling

Phone (410) 305-2763

Technical Direction No. 0839

**Description of Task:** 

Data Review

Account Number:

302DC6CA4LFRS00

Deliverable Due Date

08/21/2008

SDMS DociD

SITE NAME:

NEW CUMBERLAND WELLS (WV)

**SDG:** # C00Z1

Review the CLP analytical data for case 37762

Additional sample information can be found on the attached QA assignment slip

Follow data validation procedures outlined in SOPs and Guidance documents listed in the Task Order

Case:

37762

Number of Samples

6

Validation Level

M3

Comments:

EDD

I CERTIFY THAT THIS TECHNICAL DIRECTIVE DOES NOT REQUEST SERVICES THAT ARE INHERENTLY GOVERNMENT. FUNCTIONS AND THAT IT DOES NOT ALTER THE (1) STATEMENT OF WORK, (2) LEVEL OF EFFORT, (3) COST OF PERFORMING THE AUTHORIZED WORK, (4) NUMBER OF DELIVERABLES, OR (5) THE DUE DATES OF DELIVERABLES FOR THE ABOVE REFERENCED WORK ASSIGNMENT

TOPO Signature

The state of the s

Original to Contractor cc: TOPO file

2.00

Project Officer

Contracting Officer

### ESAT DATA VALIDATION EVALUATION CHECKLIST Contract # EP-W-06-016

Task Order #: 0014 Site Name: New Analysis Type: Reviewer: S CLP Laboratory Code:	TDF #:	339 s	Revision #:       0       Case/DAS #:       37762         SDG #:       C00Z1         SOW #:       SOM01.2
EPA CLP TPO: Card EPA RPM: Robert cc: Gen (TEG	ol Beard Kelly (3HS32) e Nance CH LAW)		Region:8  Number of hours spent on review:7
Date submitted to EPA:	8/20/08		Number of samples:06 Validation Type:M3 Flat File Required Yes X No
CRITERIA	YES	<u>NO</u>	COMMENTS
Format according to Region III protocol	V		
Clarity of report	<u>~</u>		
Qualifiers applied correctly	V		
Consistency between narrative and data summary form(s)	<b>⊥</b>		
Error-free transcription	1		
EFFICIENCY OF CONTRACTOR	YES	<u>NO</u>	COMMENTS
Approval recommended for current submission	V		
Time spent on review is reasonable	<u></u>		
Technical Evaluation	4.1		Edward E Wone 08-21-08 EPA Oversight
ESD OVERSIGHT			
DATES	EPA	.^	Oversight <u>EZW.</u> ESAT
Received at EPA Oversight assigned Oversight received Oversight completed Feedback given Mailed to RPM	7/2:108 3/25/08	<u>'</u>	- 08/21/03 EX- - 08/21/03 EX- - 08/21/03 EX-

### ESAT DATA VALIDATION EVALUATION CHECKLIST Contract # EP-W-06-016

Task Order #: 0014 Site Name: New C Analysis Type: Sleeviewer: Sle	TDF#: <b>08</b> Cumberland Wells _Organic uilna Udani	39	Revision #:0 Case/DAS #:37762 SDG #:C00Z1 SOW #:SOM01.2
CLP Laboratory Code:	DATAC		
EPA CLP TPO:Caro EPA RPM:Robert k cc:Gene (TEC	l Beard Kelly (3HS32) e Nance rH LAW)	_	Region:8  Number of hours spent on review:7  Number of samples:06  Validation Type:M3  Flat File Required Yes_X_ No
CRITERIA	<u>YES</u>	<u>NO</u>	COMMENTS
Format according to Region III protocol	V		
Clarity of report	<u> </u>		
Qualifiers applied correctly	$\underline{\nu}$		
Consistency between narrative and data summary form(s)			
Error-free transcription	1		
EFFICIENCY OF CONTRACTOR	YES	<u>NO</u>	COMMENTS
Approval recommended for current submission	V		
Time spent on review is reasonable	<u></u>		
Technical Evaluation	4.1		EPA Oversight
ESD OVERSIGHT			
DATES	EPA	Λ	Oversight EM ESAT
Received at EPA Oversight assigned Oversight received Oversight completed Feedback given Mailed to RPM	8/21/08	21' - -	08/21/08 ED- 08/21/08 ED-



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III ENVIRONMENTAL SCIENCE CENTER

#### 701 MAPES ROAD FORT MEADE, MARYLAND 20755-5350

DATE : August 25, 2008

SUBJECT: Region III Data QA Review

FROM : Colleen Walling

Region III ESAT RPO (3EA20)

TO : Robert Kelly

Regional Project Manager (3HS32)

Attached is the organic data package for the New Cumberland Wells Inc. site (CASE #37762; SDG#C00Z1)completed by the Region III Environmental Services Assistance Team (ESAT) contractor under the direction of Region III EAID.

If you have any questions regarding this review, please call me at (410) 305-2763.

Attachments

cc: (TECH LAW)

TO File #: 0014 TDF#: 0839

OFFICE OF ANALYTICAL SERVICES AND QUALITY ASSURANCE

### Contract EP-W-06-016 Task Order 0014

QA ASSIGNMENT SLIP

D	ate Routed to Po	): <u>8-14-08</u>	_ Date Da	ta Pkg Rec'd by EPA:	8-14-08	
REQUESTOR:			SAMPLER:			
RACS			RACS			
START	TECLAW		START	TECH LAW		
STATE specif	y		STATE speci	fy		
IAG specif			IAG speci			
Other			Other			
ANALYSIS TYI	PE:			DATA REVIEW	LEVEL:	
ANALISIS IIIE.		6 TVOAS		Organic	M1	
		SOM01.2			M2	
					M3 X	
			<del></del>	Inorganic	IM1	
				morganic	IM2	
Total Alique	ots	6				
Total DI/Re		0		Dioxin	M3	
Total Lab (	)C	0		Flat File Requested	<u>X</u>	
Site Name:	NEW CUMBE FIELDS	ERLAND WELL	S/NC WELL	_wv	Case # <u>37762</u>	
Lab Code:	DATAC	;	# Water 6	# Soil #	Other	
Site Account:	2008T03N302	DC6CA3LFRS0	0			
RPM:	ROBERT F. KELLY Mail Code: 3HS32					
Site Leader:	Non Responsive	based on Revis	ed Scope	Organization: TE	CHLAW	
Lab Turn Around	d Time (TAT) (I	Days): <u>7/7</u>	Date S	amples Shipped: 8-6	5-08	
SDG Numbers:	C00Z1					
Form Is have bee	n Forwarded to:	PENDIN	NG BY ESAT	Organization:		
Validation Repo	rt to be Sent to:	Non Responsiv	ve based on Revised Scope	Organization: TE	CH LAW	
Additional Comr	ments $\mathcal{D} \vec{\omega}$	ta Val d	m: 8	(21/08	\	

DCN; QASLIP.WPD

can